


DRG. SIZE C	REL. PHASE P	PART No 19-1010	ISSUE D
----------------	-----------------	--------------------	------------

IF IN DOUBT-ASK  
DO NOT SCALE

FRAME	A	B	C	D	X	NETT WT. (Kg)
P02E1	399	279.5	191	481	160	84
P04F1	399	279.5	191	481	157	89
P02F1	399	279.5	191	481	155	90
P04G1	399	279.5	191	481	149	96
P02G1	414	294.5	201	496	169	95
P04H1	414	294.5	201	496	159	107

COUPLING DISC					
SAE	"AN"	"AM"	"AP"	"AR"	"V"
8	62	6	11	244.5	263.4
10	53.8	8	11	295.3	314.2
11.5	39.6	8	11	333.4	352.3



- ① - REMOVABLE COVERS FOR ACCESS TO ELECTRONIC CONTROL
- ② - REMOVABLE COVER FOR ACCESS TO MAIN TERMINALS
- \* FOR KNOCKOUT DETAILS REFER TERMINAL BOX DRAWING

MOD.	ISSUE	DRAWN	DATE	MODIFICATION
4-9346-89	D	BSR	09/05/08	DE SCREEN POSITION CHANGED
4-9346-30	C	BJ	22/02/08	NOTES FOR KNOCKOUT DETAILS ADDED
4-9111-08	B	DW	5/7/07	ADDED PO E/F/G 2-POLE TO TITLE AND TABLE
4-8440-42	A	VMR	10.04.07	ORIGINAL ISSUE

**CONFIDENTIAL** PROPERTY OF CUMMINS GENERATOR TECHNOLOGIES LTD.

POF/G/H 4-POLE . POE/F/G 2-POLE  
I-BEARING ALTERNATOR  
SAE 3 ADAPTOR  
SAE 8/10 & 11.5 COUPLING

DIMENSIONS IN MILLIMETRES (MM) AT 20°C

PROJECTION

UNLIMITED DIMS ± --

DRAWN	VMR	10.04.07
CHECKED	DW	17/3/07
APPROVED	SMH	17/3/07

DRG. SIZE C	SCALE 3:10
REL. PHASE P	PART No 19-1010
PRO/ENGINEER	ISSUE D
SHEET 1 OF 1 SHEETS	