



DETAILS OF THE MAIN STATOR AND MAIN TERMINAL CONNECTIONS ARE SHOWN ON SEPARATE WIRING DIAGRAM

APPROVED DOCUMENT

* SEE AVR INSTRUCTION MANUAL FOR LINKING DETAILS.

BASE DIAGRAM

4-9346-66	B	TC	13/03/08	UL FUSE ASSEMBLY ADDED. (FUSES WERE INLINE WITHIN HARNESS)																
4-9440-54	A	M.C.	01.05.07	ORIGINAL ISSUE																
MOD.	ISS.	DRN.	DATE	ALTERATION																
<table border="1"> <tr> <td>CERTIFIED PRINT</td> <td>FRAME</td> <td>PO / P1</td> <td>OTHER FEATURES</td> </tr> <tr> <td>(ONLY IF SIGNED)</td> <td>CONTROL</td> <td>AS480UL</td> <td>SELF EXCITATION SYSTEM</td> </tr> <tr> <td>BY</td> <td>POLES</td> <td></td> <td></td> </tr> <tr> <td>DATE</td> <td>No. OF ENDS</td> <td>---</td> <td></td> </tr> </table>					CERTIFIED PRINT	FRAME	PO / P1	OTHER FEATURES	(ONLY IF SIGNED)	CONTROL	AS480UL	SELF EXCITATION SYSTEM	BY	POLES			DATE	No. OF ENDS	---	
CERTIFIED PRINT	FRAME	PO / P1	OTHER FEATURES																	
(ONLY IF SIGNED)	CONTROL	AS480UL	SELF EXCITATION SYSTEM																	
BY	POLES																			
DATE	No. OF ENDS	---																		
DRAWN	M.C.	01.05.07	SENSING	2	PHASE															
CHK'D	M.C.	01.05.07	CUMMINS GENERATOR TECHNOLOGIES LTD.																	
APP'D	MJW	01.05.07																		
A12-1458																				
SHEET 1 OF 1 SHEETS																				
ISSUE B																				